

# INJECTION / I.V.

Criticalcare & Life Saving Injectable




## AZIVERI™

Aztreonam 1gm

### » USAGE

**Aztreonam injection** is used to treat certain infections that are caused by bacteria, including respiratory tract (including pneumonia and bronchitis), urinary tract, blood, skin, gynecological, and abdominal (stomach area) infections, that are caused by bacteria.

**Packing:** 1x1vial



## ARTAVERI™

Artesunate 60 mg

### » USAGE


**Artesunate injection** belongs to a group of medicines known as antimalarials. It treats malaria, a red blood cell infection transmitted by the bite of a mosquito. However, this medicine is not used to prevent malaria. This medicine is to be given only by or under the immediate supervision of your doctor.

**Packing:** 1x1vial

Also Available: 120mg

## INJECTION / I.V.

Criticalcare & Life Saving Injectable



## CEFOVERI-TZ

Cefoperazone 2000mg +  
Tazobactam 250mg

### » USAGE

**Cefoperazone and Tazobactam** injection is indicated for the treatment of gynecological infections, urinary tract infections, and post-operative infections.

**Packing:** 1x1vial



## CLARIACT™

Clarithromycin 500 mg

### » USAGE


**Clarithromycin** is an antibiotic belonging to the macro-lide antibiotic group. It exerts its antibacterial action by selectively binding to the 50s ribosomal sub-unit of susceptible bacteria preventing translocation of activated amino acids. It inhibits the intracellular protein synthesis of susceptible bacteria.

**Packing:** 1x1vial



## INJECTION / I.V.

Criticalcare & Life Saving Injectable



## CLINDAVERI<sup>®</sup>


Clindamycin 300 mg /2ml

### » USAGE

**Clindamycin** injection is used to treat bacterial infections in different areas of the body. This medicine is given to patients who had an allergic reaction to penicillin. **Clindamycin** belongs to the class of medicines known as macrolide antibiotics. It works by killing bacteria or preventing their growth.

**Packing:** 1x1 Inj.

Also Available : 600mg/4ml



## COLYCLEAR<sup>®</sup>

Colistimethate Sodium  
1 Million IU

### » USAGE


**Colistimethate Sodium** Injection is an antibiotic that works by killing bacteria which can cause serious infections. It is a versatile medicine used to treat many different types of bacterial infections

**Packing:** 1x1vial

Also Available:  
2 MIU / 3 MIU / 4.5 MIU

## INJECTION / I.V.

Criticalcare & Life Saving Injectable



# CYCLOTAS™


Acyclovir 500 mg

### » USAGE

**Acyclovir** injection is used to treat first-time or repeat outbreaks of herpes simplex (a herpes virus infection of the skin and mucus membranes) and to treat herpes zoster (shingles; a rash that can occur in people who have had chickenpox in the past) in people with weak immune systems.

**Packing:** 1x1vial

Also Available: 250mg



# DOXAVERI®

Doxycycline 100 mg

### » USAGE

**Doxycycline** injection is used to treat or prevent bacterial infections, including pneumonia and other respiratory tract infections. It is also used to treat certain skin, genital, intestine, and urinary system infections. **Doxycycline** injection may be used to treat or prevent anthrax (a serious infection that may be spread on purpose as part of a bioterror attack) in people who may have been exposed to anthrax in the air. **Doxycycline** injection is in a class of medications called tetracycline antibiotics. It works by killing bacteria that cause infections.


**Packing:** 1x1vial

## INJECTION / I.V.

Criticalcare & Life Saving Injectable

# FERROMILE

Iron Sucrose 100 mg



## » USAGE

**Iron Sucrose** injection is an iron replacement product that is used to treat iron deficiency anemia (not enough iron in the blood) in patients with chronic kidney disease (CKD).

**Packing:** 1x1 inj.



# FERRIKARB

Ferric Carboxymaltose 500 mg

## » USAGE

**Ferric Carboxymaltose** is used for the treatment of iron deficiency, when oral iron preparations are ineffective or cannot be used.

**Packing:** 1x1vial

Also Available:  
1000mg / 20ml vial

## INJECTION / I.V.

Criticalcare & Life Saving Injectable



## FOSOVERI™

Fosomycin 4gm

### » USAGE

**Fosoveri 4gm** Injection is an antibiotic medicine used to treat bacterial infections in your body. It is effective in some infections of the urinary tract, lungs (eg. pneumonia), bones, brain (eg. meningitis) and blood. However, it is only used when other common antibiotics cannot be used.

**Packing:** 1x1vial



## GLUTAVERI

Glutathione 600 mg

### » USAGE

**Glutathione 600mg** Injection belongs to the class of organic compounds known as peptides indicated in the treatment of alcoholic liver disease, liver cirrhosis, liver damage in HIV/HCV co-infection, and gastritis.

**Packing:** 1x1vial

## INJECTION / I.V.

Criticalcare & Life Saving Injectable



## HEPAVERI™

L-Ornithine L-Aspartate 500mg

### » USAGE

**L-Ornithine L-Aspartate** is Effective and Safe for the Treatment of Hepatic Encephalopathy in Cirrhosis.

**Packing:** 1x1 Inj.



## LABITOL™

Labetalol 20 mg / 4ml

### » USAGE

**Labetalol** injection is used to treat severe high blood pressure (hypertension). High blood pressure adds to the workload of the heart and arteries. If it continues for a long time, the heart and arteries may not function properly.

**Packing:** 1x5 Inj.

## INJECTION / I.V.

Criticalcare & Life Saving Injectable



## LEOCARNIT™

Levocarnitine 1gm / 5ml

### » USAGE

**Levocarnitine** is a naturally occurring substance required in mammalian energy metabolism. It has been shown to facilitate long-chain fatty acid entry into cellular mitochondria, thereby delivering substrate for oxidation and subsequent energy production. Fatty acids are utilized as an energy substrate in all tissues except the brain. In skeletal and cardiac muscle, fatty acids are the main substrate for energy production.

**Packing:** 1x5 Inj.



## LESUVERI®

Levosulpiride 25mg/2ml

### » USAGE

**Levosulpiride** Injection is a medicine used in the treatment of gastrointestinal problems like functional dyspepsia, nausea, vomiting, and diabetic gastroparesis. It improves food movement and treats disorders of the stomach and intestines.

**Packing:** 1x5 Inj.

## Criticalcare & Life Saving Injectable

LeveliPharm

LeveliPlas Concentrate for Infusion

5 ml

Par I.V. Infusion Only

Caution: This concentrate should not be used if it contains visible particulate matter.

## Levetiracetam 100mg / 5ml

**Levetiracetam** is used alone or together with other medicines to help control certain types of seizures (eg, partial seizures, myoclonic seizures, or tonic-clonic seizures) in the treatment of epilepsy.

**Packing:** 1x1vial

Meropenem 1gm

**Meropenem** injection is used to treat skin and abdominal (stomach area) infections caused by bacteria and meningitis (infection of the membranes that surround the brain and spinal cord) in adults and children 3 months of age and older

Packing: 1x1vial

Also Available: **500 mg**

## INJECTION / I.V.

Criticalcare & Life Saving Injectable



## MEROFASST-SB

Meropenem 1gm +  
Sulbactam 0.5gm / 1.5 gm

### » USAGE

It works by preventing the formation of the bacterial protective covering which is essential for the survival of bacteria in the human body. Sulbactam is a beta-lactamase inhibitor which blocks the action of enzymes produced by bacteria to inactivate Meropenem.

Packing: **1x1vial**



## MEROFASST-TZ<sup>TM</sup>

Meropenem 1000 mg +  
Tazobactam 125 mg

### » USAGE


Meropenem and tazobactam injection is used to treat pneumonia and skin, gynecological, and abdominal (stomach area) infections caused by bacteria

Packing: **1x1vial**

Also Available: **1.5gm**

## INJECTION / I.V.

Criticalcare & Life Saving Injectable



## OCUFINE


Octreotide Acetate 100 mcg /1ml

### » USAGE

**Octreotide injection** is used to treat severe diarrhea and other symptoms that occur with certain intestinal tumors (eg, vasoactive intestinal peptide tumors or VIPomas) or metastatic carcinoid tumors (tumors that has already spread in the body). It does not cure the tumor but it helps the patient feel more comfortable.

**Packing:** 1x1 Inj.

Also Available: 50mcg/1ml



## POLYVERI-B™

Polymyxin B 500,000 Units

### » USAGE

**Polymyxin B sulfate** is a drug of choice in the treatment of infections of the urinary tract, meninges, and bloodstream caused by susceptible strains of *Ps. aeruginosa*. It may also be used topically and subconjunctivally in the treatment of infections of the eye caused by susceptible strains of *Ps. aeruginosa*.

**Packing:** 1x1vial

Also Available: 750000 Units

## INJECTION / I.V.

Criticalcare & Life Saving Injectable



## MINOPLAN<sup>®</sup>

Minocycline 100mg

### » USAGE

**Minocycline** Injection is an antibiotic medicine used to treat bacterial infections in your body. It is effective in some infections of the lungs, urinary tract, eyes, and others. It kills bacteria, which helps to improve your symptoms and cure the infection.

**Packing:** 1x1vial



## MICAVERI<sup>®</sup>

Micafungin Sodium 50 mg


### » USAGE

Micafungin 50mg Injection is an antifungal medication. It is used in the treatment of severe fungal infections. It kills the fungi that cause infections and thus provides relief.

**Packing:** 1x1vial

## INJECTION / I.V.

Criticalcare & Life Saving Injectable



## SOLUVERI®


Methylprednisolone Sodium  
40 mg

### » USAGE

This medication is used to treat conditions such as arthritis, blood disorders, severe allergic reactions, certain cancers, eye conditions, skin/kidney/intestinal/lung diseases, and immune system disorders.

**Packing:** 1x1vial

Also Available:  
**125mg/500mg/1000mg**



## TAZOVERI®

Piperacillin 4000mg +  
Tazobactam 500 mg

### » USAGE

Piperacillin and tazobactam combination injection is used to treat bacterial infections in many different parts of the body (eg, stomach or bowel, lungs, skin, female reproductive organs).

**Packing:** 1x1vial


Also Available: **2.25 gm**

## INJECTION / I.V.

Criticalcare & Life Saving Injectable

# TERLIVERI<sup>®</sup>

Terlipressin 1mg / 10ml




### » USAGE

**Terlipressin** is indicated in the treatment of bleeding oesophageal varices. The administration of terlipressin serves the emergency care for acute bleeding oesophageal varices until endoscopic therapy is available.

**Packing:** 1x1 Inj.

# THAIZONE<sup>™</sup>

Thiamine Hydrochloride  
100 mg / 2ml




### » USAGE

This medication is used to treat or prevent a lack of thiamine (deficiency) when the form taken by mouth cannot be used or would not work as well as the injection. **Thiamine** is a B vitamin that helps your body to use carbohydrates for energy. It is also important for normal function of your heart, muscles, and nervous system.

**Packing:** 1x5 Inj.

## INJECTION / I.V.

Criticalcare & Life Saving Injectable



# HEPAGOAL

Heparin Sodium 25000 IU/5ml

## » USAGE

**Heparin 25000IU** Injection is an anticoagulant which prevents abnormal clotting of blood. It not only prevents the formation of harmful blood clots in the legs, lungs, and heart but also stops them from growing bigger.

**Packing:** 1x1vial



# TIGIVERI<sup>®</sup>

Tigecycline 50mg

## » USAGE


**Tigecycline** injection is used to treat bacterial infections in many different parts of the body (eg, infections on the skin, stomach, or lungs). It works by killing bacteria or preventing their growth.

**Packing:** 1x1vial

Also Available: 100 mg

## INJECTION / I.V.

Criticalcare & Life Saving Injectable



# VERICEF™

Ceftriaxone 1gm

### » USAGE

**Ceftriaxone** is used to treat a wide variety of bacterial infections. This medication belongs to a class of drugs known as cephalosporin antibiotics. It works by stopping the growth of bacteria. This drug is not recommended for use in newborns with high blood bilirubin levels and premature infants due to increased risk of side effects.

**Packing:** 1x1vial

Also Available: 500mg & 2gm



# VERICEF-SB

Ceftriaxone 1gm + Sulbactam 0.5gm  
/ 1.5gm

### » USAGE


Ceftriaxone & Sulbactam for Injection is indicated in infections caused by Ceftriaxone sodium- sensitive pathogens and may be used in the clinical settings in Sepsis, Meningitis, Abdominal Infections (e.g. Peritonitis, infection of the biliary tract), infections of the Bones, Joints, Soft tissue, Skin and of wounds.

**Packing:** 1x1vial

Also Available: 3gm

## INJECTION / I.V.

Criticalcare & Life Saving Injectable




## VERICEFTA™

Ceftazidime 2gm +  
Avibactam 0.5 gm / 2.5gm

### » USAGE

**Ceftazidime** inhibits bacterial peptidoglycan cell wall synthesis following binding to penicillin binding proteins (PBPs), which leads to bacterial cell lysis and death. **Avibactam** is a non  $\beta$ -lactam,  $\beta$ -lactamase inhibitor that acts by forming a covalent adduct with the enzyme that is stable to hydrolysis.

**Packing:** 1x1vial



## VERIZONE-SB

Cefoperazone 1gm +  
Sulbactam 0.5gm / 1.5gm

### » USAGE

**Cefoperazone+Sulbactam** belongs to the group of medicines called antibiotics used to treat various bacterial infections such as respiratory tract (lungs) infection, urine infection, blood infection, meningitis (inflammation of the brain and spinal cord), gonorrhoea (sexually transmitted disease), skin, abdominal, bone, and joint infections.

**Packing:** 1x1vial

Also Available: 3gm

## INJECTION / I.V.

Criticalcare & Life Saving Injectable



## VANCOVERI


Vancomycin 500 mg

### » USAGE

**Vancomycin** is an antibiotic used to treat infections. This form of Vancomycin is used to treat a certain intestinal condition (colitis) caused by bacteria. This condition causes diarrhea and stomach/abdominal discomfort or pain.

**Packing:** 1x1vial

Also Available: 1000mg



## VERISTAT

Tranexamic Acid 500mg / 5ml

### » USAGE

**Tranexamic Acid** (sometimes shortened to TXA) is a medicine that controls bleeding. It helps your blood to clot and is used for nosebleeds and heavy periods. If you're having a tooth taken out, using **Tranexamic Acid** mouthwash can help stop bleeding.

**Packing:** 1x5 Inj.

## INJECTION / I.V.

Criticalcare & Life Saving Injectable

# NOXIT™

Enoxaparin 40mg/0.4ml



### » USAGE

Enoxaparin 40mg Injection is an anticoagulant used to prevent and treat harmful blood clots. It stops the existing clots from getting any bigger and restricts the formation of any new clot. It is also helpful in the prevention of blood clots in veins, a condition called deep vein thrombosis, and pulmonary embolism.

**Packing:** 1x1PFS

Also Available: 60mg/0.6ml



## Digital Thermometer



FEVER  
ALARM



20 SEC.



Hg  
MERCURY  
FREE



LOW BATTERY  
INDICATOR



### ALVITO

Multivitamins, Multiminerals,  
Vitamin B12, Lycopene & Ginseng  
Tablets

#### » USAGE

This medication is a multivitamin product used to treat or prevent vitamin deficiency due to poor diet, certain illnesses, or during pregnancy.

Packing: **1x3x10**



### ALVITO Q10

Multivitamin, Co-Enzyme Q10, Vitamin D3,  
Vitamin B12 & Lycopene With Ginseng Capsules

#### » USAGE

Coenzyme Q10 (CoQ10) is a substance that helps convert food into energy. CoQ10 is found in almost every cell in the body, and it is a powerful antioxidant.

Packing: **1x10**



## GABAVERI

Gabapentin 300 mg Tablets

### » USAGE

**Gabapentin** treats seizures by decreasing abnormal excitement in the brain. It is also used to relieve the pain caused by nerve damage (neuropathic pain) due to various conditions like diabetes, shingles (herpes zoster infection), spinal cord injury, etc.

**Packing:** 1x10x10



## GABAVERI NT 100

Gabapentin & Nortriptyline Hcl Tablets  
Tablets

### » USAGE

Gabapentin and Nortriptyline is a combination of two medicines: Gabapentin and Nortriptyline. This medicine is useful in the treatment of nerve pain (Neuropathic pain). It calms the damaged or overactive nerves by acting on the brain. Thereby, it decreases the pain sensation.

**Packing:** 1x10x10



### KWIKHEAL

Trypsin-Chymotrypsin  
100000 A.U. Tablets

#### » USAGE

Trypsin-Chymotrypsin is a widely used oral proteolytic enzyme combination to hasten repair of traumatic, surgical, and orthopedic injuries.

Packing: **1x10x10**



### KWIKHEAL FORTE

Trypsin, Bromelain & Rutoside Trihydrate Tablets  
Tablets

#### » USAGE

The Bromelain, Rutoside and Trypsin is used to treat various conditions such as high fever, headache, menstrual cramps, and toothache. This medicine is also used to relieve pain in the conditions of rheumatoid arthritis, osteoarthritis, and ankylosing spondylitis.

Packing: **1x10x10**

# Multiveri



Multivitamins &  
Multiminerals Tablets

## USAGE

This medication is a **Multivitamin & Multiminerals** product used to treat or prevent vitamin deficiency due to poor diet, certain illnesses, or during pregnancy.


Vitamins and iron are important building blocks of the body and help keep you in good health.



**BOOST YOUR  
IMMUNITY  
FOR A BETTER  
TOMORROW**



Packing:  
1x10x10



**Health  
Supplement**

Packing:  
200 ml bottle



## FERIQUEEN-XT

Ferrous Ascorbate 100 mg +  
Folic Acid 1.5 mg **Tablets**

### » USAGE

**Ferrous Ascorbate** and **Folic Acid** provide essential nutritional supplements for the body. **Ferrous Ascorbate** tablets are crucial for the treatment of anaemia resulting from iron deficiency. **Folic Acid** helps to produce red blood cells, promoting oxygen supply to all parts of the body.

**Packing:** 1x10x10



## PROVERI™

Prebiotic & Probiotic  
**Capsules**

### » USAGE

**Prebiotics** and **Probiotics** capsules are successful in treating diarrhea, allergic disorders, irritable bowel syndrome, and even common colds.

**Packing:** 1x3x10



# PENTAVERI-DSR™

Pantoprazole 40 mg + Domperidone 30 mg  
Capsules

## » USAGE

**Pantoprazole & Domperidone** is used to reduce the amount of acid produced by the stomach, to treat or prevent conditions such as heartburn, Gastritis, ulcers and GERD.

**Packing:** 1x10x10



# PENTAVERI-40™

Pantoprazole 40 mg Tablets

## » USAGE

**Pantoprazole** Tablets used for heartburn, acid reflux and gastro-oesophageal reflux disease.

**Packing:** 1x10x10

Also Available: **Pentaveri I.V. 40mg**



### F - ITRA

Itraconazole Capsules 100mg  
Capsules

#### » USAGE

Itraconazole is an antifungal medicine that helps treat certain yeast and fungal infections in any bodily area, such as the lungs, mouth, throat, toenails, or fingernails

Packing: **1X3X10**

Also Available: **200mg**



### MEVOFAST - LC

Levocetirizine Dihydrochloride 5mg &  
Montelukast Sodium 10mg Tablets IP  
Tablets

#### » USAGE

Montelukast and levocetirizine belong to a class of drugs called antihistamines or anti-allergics. It treats sneezing, runny nose, and allergic skin conditions due to various allergies and hay fever (seasonal allergy).

Packing: **1x10x10**



# TELMAVERI™

Telmisartan 40 mg **Tablets**

## » USAGE

**Telmisartan** is used alone or together with other medicines to treat high blood pressure (hypertension)

**Packing:** 1x10x10



# TICASURE

Ticagrelor 90 mg **Tablets**

## » USAGE

**Ticagrelor** stops platelets from clumping together to form unwanted blood clots, and helps to prevent heart attacks and strokes.

**Packing:** 1x10x14



## VORIVERI®

Voriconazole 200 mg  
Tablets

### » USAGE

**Voriconazole** is used to treat serious fungal or yeast infections, such as aspergillosis (fungal infection in the lungs), candidemia (fungal infection in the blood), esophageal candidiasis (candida esophagitis), or other fungal infections (infections in the skin, stomach, kidney, bladder, or wounds).

**Packing:** 1x10x4

Also Available: Voriveri Inj. 200mg



## VERINAC-P™

Aceclofenac 100 mg +  
Paracetamol 325 mg Tablets

### » USAGE

**Aceclofenac and Paracetamol** Tablets combination is used to manage pain and inflammation in conditions like osteoarthritis, rheumatoid arthritis, and musculoskeletal disorders

**Packing:** 1x10x10



### VERINAC-SP™

Aceclofenac 100 mg + Paracetamol 325 mg  
+ Serratiopeptidase 15 mg **Tablets**

#### » USAGE

**Aceclofenac, Paracetamol & Serratiopeptidase** Tablets is used in the reduction of pain and inflammation due to bone or soft tissue injury, resolution of postoperative inflammation, oedema (swollen tissue with fluid) and pain.

**Packing:** **1x10x10**



### VERINAC-MR™

Aceclofenac 100 mg +  
Tizanidine 2 mg **Tablets**

#### » USAGE

**Aceclofenac & Tizanidine** is a combination medicine used to relieve pain and inflammation associated with osteoarthritis, rheumatoid arthritis, ankylosing spondylitis, muscle pain, tooth pain, bone and joint pain, and headache.

**Packing:** **1x10x10**



### VERILIV™

Ursodeoxycholic Acid  
Tablets IP 300mg

#### » USAGE

**Ursodeoxycholic acid (UDCA)**, also known as ursodiol, is a naturally occurring bile acid that is used to treat liver disease and gallstones. Ursodeoxycholic acid (UDCA) is a secondary bile acid with cytoprotectant, immunomodulating, and choleretic effects.

**Packing:** 1x10x10



### LEVIPLAN™

Levetiracetam 500 mg  
Tablets

#### » USAGE

**Levetiracetam** is used alone or together with other medicines to help control certain types of seizures (eg, partial-onset seizures, myoclonic seizures, or tonic-clonic seizures) in the treatment of epilepsy.

**Packing:** 1x10x10




## LANMARK™

Lansoprazole Orally  
Disintegrating Tablets 15mg

### » USAGE

It's used for indigestion, heartburn, acid reflux and gastroesophageal-reflux-disease (GORD). Lansoprazole is also taken to prevent and treat stomach ulcers. Sometimes, lansoprazole is taken for a rare condition caused by a tumour in the pancreas or gut called Zollinger-Ellison syndrome.

**Packing:** 1x10x10



## ProtoEx™


Complete, Balanced Nutrition For All  
PROTOEX PROTEIN POWDER

### » USAGE

Protein powders are nutritional supplements that may help build muscle, repair tissue, and make enzymes and hormones. Using protein powder may also aid weight loss and help people tone their muscles.

**Packing:** 400 gm

Also Available: 200 gm



## Calcica® Suspension

Calcium Carbonate 625 mg + Zinc 14 mg  
+ Vitamin D3 200 IU + Magnesium 180 mg **Suspension**

### » USAGE

**Calcium Carbonate + Zinc + Vitamin D3 + Magnesium** is used to treat Calcium and Vitamin D deficiency. Calcium carbonate makes the bones stronger by increasing their density. It helps in treating and preventing low calcium levels. Vitamin D3 is a form of vitamin D which helps in the absorption of calcium.

**Packing:** **200 mL Bottle**



## Dee<sub>3</sub>Best™ Drops

Cholecalciferol (Vitamin D3)  
400,800 IU Drops

### » USAGE

**Cholecalciferol (Vitamin D3)** with calcium is used to treat or prevent bone loss (osteoporosis). Vitamin D is also used with other medications to treat low levels of calcium or phosphate caused by certain disorders (such as hypoparathyroidism, pseudohypoparathyroidism, familial hypophosphatemia).

**Packing:** **1x30 ml Bottle**

Also Available: **Nano Shot 5ml & Sachet /gm/60000 IU**



# Zinica

## SYRUP

Zinc Gluconate Syrup

### » USAGE

**Zinc Gluconate Syrup** is used to treat the problem of zinc deficiency in the body. Zinc plays an important role in the proper functioning of the human body. It is very crucial for having a properly working immune system, wound healing, thyroid function, blood clotting, and some other body functions.

**Packing:** 60 mL Bottle



# Sucramile<sup>™</sup>

## Suspension

Sucralfate Suspension

### » USAGE

**Sucralfate** is used to treat and prevent duodenal ulcers and other conditions as determined by your doctor. It works by forming a barrier or coat over the ulcer. This protects the ulcer from the acid of the stomach, allowing it to heal. Sucralfate contains an aluminum salt.

**Packing:** 100 mL Bottle



# PERICA

SYRUP

Paracetamol 250 mg Paediatric Oral Suspension I.P.

### » USAGE

Perica Oral Suspension belongs to class of analgesic and antipyretic. PERICA helps to ease pain and bring down high body temperature (fever). In children, it treats conditions like headache, toothache, body ache, fever, and common cold.

**Packing:** 60 mL Bottle

Also Available: 125mg/5ml




# Potclimb<sup>TM</sup>

Potassium Chloride Oral Solution

### » USAGE

Treating low potassium levels: Potassium chloride is a medication that treats and prevents low potassium levels in the body. Potassium is important for the health of the heart, kidneys, muscles, and nervous system Reducing high blood pressure: Potassium chloride can help reduce high blood pressure Reducing the risk of heart disease and stroke: Potassium chloride can help reduce the risk of developing heart disease and stroke

**Packing:** 200 ml Bottle



## Mupifast 2%

Mupirocin Ointment IP 2%

### » USAGE

**Mupirocin** is an antibiotic. It kills the bacteria that cause skin infections by preventing the synthesis of essential proteins necessary for the survival of bacteria. Thus, it prevents the skin infection from spreading.

**This medicine is for external use only.**

**Packing:** 10 g Tube



## Lulinice 1%

Luliconazole Cream IP 1%

### » USAGE

**Luliconazole Cream 1%** is an antifungal medication that treats skin infections. It kills the infection-causing fungi by destroying their cell membrane. This relieves discomfort, itching, and irritation on the skin.

**This medicine is for external use only.**

**Packing:** 30 g Tube